

**EGBM — TATENHILL****EGBM AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

EGBM — TATENHILL

**EGBM AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	Lat: 524851N Long: 0014553W Mid point of Runway 08/26
2	Direction and distance from city	4 nm W of Burton-on-Trent.
3	Elevation / Reference temperature	439 ft / 18 C
4	Geoid undulation at AD ELEV PSN	
5	Magnetic Variation/ Annual Change	1.27°W (2017) / 0.16°
6	AD Administration, address, telephone, telefax, AFS, e-mail address, website address	TATENHILL AVIATION LIMITED Post: Tatenhill Aerodrome, Newborough Road, Need wood, Burton-on-Trent, Staffs, DE13 9PD. Phone: 01283-575283 Fax: 01283-575650
7	Type of Traffic permitted (IFR/VFR)	
8	Remarks	

**EGBM AD 2.3 OPERATIONAL HOURS**

1	Aerodrome Operator	Winter: 0900-1700. Summer: 0800-1600.
2	Customs and Immigration	
3	Health and sanitation	
4	AIS Briefing Office	
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	
7	Air Traffic Service	As AD hours. See also AD 2.18.
8	Fuelling	As AD hours.
9	Handling	
10	Security	
11	De-icing	
12	Remarks	This aerodrome is <b>PPR</b> . Night flying by arrangement.

**EGBM AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo handling facilities	
2	Fuel and oil types	AVGAS 100LL AVTUR JET A-1 D100, 15W/50
3	Fuelling facilities/capacity	
4	De-icing facilities	
5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	
7	Remarks	

**EGBM AD 2.5 PASSENGER FACILITIES**

1	Hotels	
2	Restaurants	
3	Transportation	

## EGBM AD 2.5 PASSENGER FACILITIES (continued)

4	Medical facilities	
5	Bank and Post Office	
6	Tourist Office	
7	Remarks	

## EGBM AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	See Remarks
2	Rescue equipment	
3	Capability for removal of disabled aircraft	
4	Remarks	RFF Category Special.

## EGBM AD 2.7 SEASONAL AVAILABILITY - CLEARING

## EGBM AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: Asphalt.
2	Taxiway width, surface and strength	
3	Altimeter checkpoint location and elevation	
4	VOR checkpoints	
5	INS checkpoints	
6	Remarks	

## EGBM AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	
2	Runway and taxiway markings and lighting	
3	Stop bars	
4	Remarks	

## EGBM AD 2.10 AERODROME OBSTACLES

In Approach/Take-off areas						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
08/APPROACH 26/TAKE-OFF	Pylons	524827.50N 0014810.90W	493 ft		No	HT Cables are running Northwest/ Southeast joining these pylons.
08/APPROACH 26/TAKE-OFF	Pylons	524819.40N 0014805.00W	496 ft		No	HT Cables are running Northwest/ Southeast joining these pylons.

In circling area and at aerodrome						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
	Mast	524848.10N 0014531.04W	499 ft		Yes	

## EGBM AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	
2	Hours of service MET Office outside hours	
3	Office responsible for TAF preparation Periods of validity	
4	Trend forecast Interval of issuance	
5	Briefing/consultation provided	
6	Flight documentation Language(s) used	
7	Charts and other information available for briefing or consultation	
8	Supplementary equipment available for providing information	
9	ATS units provided with information	
10	Additional information (limitation of service, etc.)	

## EGBM AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY Number	True bearing	Dimensions of RWY	Surface of RWY/ SWY/ Strength (PCN)	THR co-ordinates/ THR Geoid undulation	THR elevation/ Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
08	073.68°	1190 x 28 m	RWY surface: Asphalt.	524845.26N 0014623.35W	THR 412 ft
26	253.69°	1190 x 28 m	RWY surface: Asphalt.	524856.04N 0014522.56W	THR 438 ft

Slope of RWY/ SWY	SWY dimensions	Clearway dimensions	Strip Dimensions	OFZ	Remarks
7	8	9	10	11	12
					RWY 08  Runway 08 threshold displaced by more than 120 m. A significant portion of the runway is not visible from the thresholds of Runways 26 or 08. The grass taxiway is normally only available during the summer.
					RWY 26  Runway 26 threshold displaced by 60 m. A significant portion of the runway is not visible from the thresholds of Runways 26 or 08. The grass taxiway is normally only available during the summer.

## EGBM AD 2.13 DECLARED DISTANCES

Runway designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
08	1190 m	1190 m	1190 m	1190 m	
26	1190 m	1190 m	1190 m	1190 m	

**EGBM AD 2.14 APPROACH AND RUNWAY LIGHTING**

RWY	Approach lighting Type/Length/Intensity	Threshold lighting Colour/Wing bars	VASIS/MEHT/PAPI	TDZ lighting Length	Runway Centre Line lighting Length/Spacing/Colour/Intensity	Runway edge lighting Length/Spacing/Colour/Intensity	Runway end lighting Colour/Wing bars	Stopway lighting Length/Colour	Remarks
1	2	3	4	5	6	7	8	9	10
26			APAPI Left/3.5° 21 ft						<b>PAPI dist from THR</b> 93 m  Runway lighting available by special arrangement only.

**EGBM AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and hours of operation	
2	LDI location and lighting Anemometer location and lighting	
3	TWY edge and centre line lighting	
4	Secondary power supply/switch-over time	
5	Remarks	

**EGBM AD 2.16 HELICOPTER LANDING AREA****INTENTIONALLY BLANK****EGBM AD 2.17 AIR TRAFFIC SERVICES AIRSPACE**

Designation and lateral limits	Vertical Limits	Airspace Class	ATS unit callsign/language	Transition Altitude	Remarks
1	2	3	4	5	6
TATENHILL ATZ A circle, 2 nm radius centred at 524851N 0014553W on longest notified runway (08/26)	Upper limit: 2000 ft Lower limit: SFC	G	TATENHILL RADIO English	6000 ft	

**EGBM AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES**

Service Designation	Callsign	Channel(s)	Hours of Operation	Remarks
1	2	3	4	5
Other	TATENHILL RADIO	124.075 MHz A/G frequency.	Winter: 0900-1700 Summer: 0800-1600	ATZ hours coincident with A/G hours.

**EGBM AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Type of Aid CAT of ILS/MLS (For VOR/ILS/MLS, give VAR)	Ident	Frequency	Hours of Operation	Position of transmitting antenna co-ordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	TNL	327.000 kHz	Winter: 0900-1700 Summer: 0800-1600	524853.56N 0014600.92W		On AD. Range 10 nm. Radiates H24.

**EGBM AD 2.20 LOCAL TRAFFIC REGULATIONS****1 Airport Regulations**

- (a) Not available to aircraft unable to communicate by radio.
- (b) Not available to weight shift microlights.

**2 Ground Movement**

- (a) Grass taxiway and parking usually available during summer only.

**3 CAT II/III Operations**

Not applicable

**4 Warnings**

- (a) Gliding may be taking place at Cross Hayes Gliding Site (524740N 0014914W).

**5 Helicopter Operations**

- (a) Helicopters refuelling area is marked by an 'H', located to the east of the fuel pumps. If unavailable helicopters are to refuel in the yellow box area adjacent to the fuel pumps.

**6 Use of Runways**

Not applicable

**7 Training**

Not applicable

**EGBM AD 2.21 NOISE ABATEMENT PROCEDURES**

Not applicable

**EGBM AD 2.22 FLIGHT PROCEDURES****1 Circuits**

- (a) Circuit directions joining overhead: Runways 08 and 26 -LH.

**2 Communication**

- (a) Pilots should note the proximity of the Birmingham and Nottingham East Midlands CTA and are advised to call Birmingham or Nottingham East Midlands for traffic information before working Tatenhill Radio.

**EGBM AD 2.23 ADDITIONAL INFORMATION**

Not applicable

**EGBM AD 2.24 CHARTS RELATED TO AN AERODROME**

*Figure: Aerodrome Chart - ICAO*

AD 2-EGBM-2-1

**INTENTIONALLY BLANK**