

EGBN — NOTTINGHAM**EGBN AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

EGBN — NOTTINGHAM

EGBN AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	Lat: 525512N Long: 0010445W
2	Direction and distance from city	3 nm SE of Nottingham.
3	Elevation / Reference temperature	138 ft / 18 C
4	Geoid undulation at AD ELEV PSN	
5	Magnetic Variation/ Annual Change	1.02°W (2017) / 0.15°
6	AD Administration, address, telephone, telefax, AFS, e-mail address, website address	TRUMAN AVIATION LTD Post: Nottingham Airport, Tollerton, Notts, NG12 4GA. Phone: 0115-9811327 (ATC) Phone: 0115-9815050 Fax: 0115-9811444 Email: www.nottinghamairport.co.uk
7	Type of Traffic permitted (IFR/VFR)	VFR
8	Remarks	

EGBN AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	Winter: Mon-Sat 0900-1700; Sun 1000-1700 or SS + 30 whichever is earlier. Summer: Mon-Fri 0800-1700; Sat 0800-1800; Sun 0900-1700 or SS +30 whichever is earlier.
2	Customs and Immigration	By arrangement
3	Health and sanitation	
4	AIS Briefing Office	As AD hours.
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	By telephone or internet.
7	Air Traffic Service	As AD hours. See also AD 2.18.
8	Fuelling	Winter: Mon-Fri 0930-1630; Sat 0930-1600; Sun 1030-1600. Summer: Mon-Fri 0830-1600; Sat 0830-1700; Sun 0930-1600.
9	Handling	
10	Security	
11	De-icing	
12	Remarks	This aerodrome is PPR . For aircraft movements requiring a licenced aerodrome, last take-off and landing is 15 minutes before published closing time. For aircraft movements requiring an unlicenced aerodrome, last landing 15 minutes before and last take off 5 minutes before published closing time. Refuelling may continue up to 30 min prior to closing pending manpower availability.

EGBN AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	
2	Fuel and oil types	AVTUR JET A-1 AVGAS 100LL. AD80, S100
3	Fuelling facilities/capacity	AVTUR Jet A-1 up to 13638 lt. AVGAS 100LL up to 27276 lt.
4	De-icing facilities	
5	Hangar space for visiting aircraft	Yes pending availability
6	Repair facilities for visiting aircraft	Part 145 facility
7	Remarks	

EGBN AD 2.5 PASSENGER FACILITIES

1	Hotels	
2	Restaurants	Cafe (open Mon-Fri 0830-1630; Sat 0830-1700; Sun 0900-1700).
3	Transportation	Taxis, Buses, Chauffeur Services on request.
4	Medical facilities	Limited first aid.
5	Bank and Post Office	Local Facilities in vicinity of Aerodrome or in town.
6	Tourist Office	
7	Remarks	

EGBN AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	RFF Category A1
2	Rescue equipment	
3	Capability for removal of disabled aircraft	
4	Remarks	

EGBN AD 2.7 SEASONAL AVAILABILITY - CLEARING

EGBN AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	
2	Taxiway width, surface and strength	Taxiway M: Surface: Asphalt. Taxiway W: Surface: Asphalt. Taxiway S: Surface: Asphalt.
3	Altimeter checkpoint location and elevation	
4	VOR checkpoints	
5	INS checkpoints	
6	Remarks	

EGBN AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	
2	Runway and taxiway markings and lighting	
3	Stop bars	
4	Remarks	

EGBN AD 2.10 AERODROME OBSTACLES

In Approach/Take-off areas						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
09/APPROACH 27/TAKE-OFF	Telegraph Pole	525515.46N 0010524.42W	161 ft		No	
09/APPROACH 27/TAKE-OFF	Tree	525515.39N 0010524.74W	161 ft		No	
09/APPROACH 27/TAKE-OFF	Tree	525514.72N 0010523.97W	160 ft		No	

EGBN AD 2.10 AERODROME OBSTACLES (continued)

In Approach/Take-off areas						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
09/APPROACH 27/TAKE-OFF	Tree	525512.42N 0010520.54W	157 ft		No	
09/APPROACH 27/TAKE-OFF	Tree	525511.97N 0010520.30W	156 ft		No	

INTENTIONALLY BLANK**EGBN AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET Office	
2	Hours of service MET Office outside hours	
3	Office responsible for TAF preparation Periods of validity	
4	Trend forecast Interval of issuance	
5	Briefing/consultation provided	Self briefing facilities.
6	Flight documentation Language(s) used	
7	Charts and other information available for briefing or consultation	
8	Supplementary equipment available for providing information	Internet.
9	ATS units provided with information	
10	Additional information (limitation of service, etc.)	

EGBN AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY Number	True bearing	Dimensions of RWY	Surface of RWY/ SWY/ Strength (PCN)	THR co-ordinates/ THR Geoid undulation	THR elevation/ Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
09	088.10°	1050 x 30 m	RWY surface: Concrete and asphalt.	525514.00N 0010507.00W	THR 127 ft
27	268.10°	1050 x 30 m	RWY surface: Concrete and asphalt.	525515.00N 0010424.00W	THR 90 ft
03	028.70°	821 x 23 m	RWY surface: Asphalt.	525459.00N 0010446.00W	THR 114 ft
21	208.70°	821 x 23 m	RWY surface: Asphalt.	525523.00N 0010425.00W	THR 95 ft

Slope of RWY/ SWY	SWY dimensions	Clearway dimensions	Strip Dimensions	OFZ	Remarks
7	8	9	10	11	12
					RWY 09 Runway 09 threshold displaced by 152 m
					RWY 27 Runway 27 threshold displaced by 60 m
					RWY 03
					RWY 21

EGBN AD 2.13 DECLARED DISTANCES

Runway designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
03	799 m	799 m	799 m	821 m	
21	799 m	799 m	799 m	821 m	
09	989 m	1091 m	989 m	837 m	
27	970 m	1070 m	970 m	929 m	

EGBN AD 2.14 APPROACH AND RUNWAY LIGHTING

INTENTIONALLY BLANK

EGBN AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	IBN: Flashing Green 'NT'
2	LDI location and lighting Anemometer location and lighting	
3	TWY edge and centre line lighting	
4	Secondary power supply/switch-over time	
5	Remarks	

EGBN AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	
2	TLOF and/ or FATO elevation	
3	TLOF and FATO area dimensions, surface, strength, marking	FATO :
4	True bearing of FATO	
5	Declared distance available	
6	Approach and FATO lighting	
7	Remarks	Center Grass Triangle used for Rotary training. An area approx 100 m x 50 m cut short.

EGBN AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Designation and lateral limits	Vertical Limits	Airspace Class	ATS unit callsign/ language	Transition Altitude	Remarks
1	2	3	4	5	6
← NOTTINGHAM ATZ A circle, 2 nm radius centred at 525515N 0010448W on longest notified runway (09/27)	Upper limit: 2000 ft Lower limit: SFC	G	NOTTINGHAM RADIO English		The aerodrome is situated on the edge of the East Midlands CTA. Aircraft are to contact 'East Midlands Approach' for transit directions.

EGBN AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Callsign	Channel(s)	Hours of Operation	Remarks
1	2	3	4	5
Other	NOTTINGHAM RADIO	134.875 MHz A/G frequency	Winter: Mon-Sat 0900-1700; Sun 1000-1700 or SS +30 whichever is earlier. Summer:	ATZ hours coincident with A/G hours.

EGBN AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES (continued)

Service Designation	Callsign	Channel(s)	Hours of Operation	Remarks
1	2	3	4	5
			Mon-Fri 0800-1700; Sat 0800-1800; Sun 0900-1700 or SS +30 whichever is earlier.	

EGBN AD 2.19 RADIO NAVIGATION AND LANDING AIDS**INTENTIONALLY BLANK****EGBN AD 2.20 LOCAL TRAFFIC REGULATIONS****1 Airport Regulations**

- (a) Aircrew are to wear hi-visibility clothing whilst on aircraft manouvering areas.
- (b) Public Transport or Instructional flights exceeding 2730 kg are not accepted at this aerodrome.

2 Ground Movement

Not applicable

3 CAT II/III Operations

Cat II Mon-Fri, Cat I SS. Cat III 48 hr PPR on remission.

4 Warnings

Power cables outside the Southern and Eastern boundary of ATZ, max elevation 445 ft amsl. Power cables running Northeast/Southwest inside Northeast sector of ATZ, max elevation 328 ft amsl

5 Helicopter Operations

- (a) Helicopters are to park to the north of the tower on the designated helicopter parking pads, the first pad is marked with an 'H'.

6 Use of Runways

Not applicable

7 Training

Helicopter Training permitted in grass center triangle.

EGBN AD 2.21 NOISE ABATEMENT PROCEDURES

- (a) For noise abatement, join overhead or dead-side only.

EGBN AD 2.22 FLIGHT PROCEDURES**1 Circuits**

- (a) Circuit height: 800 ft QFE.

EGBN AD 2.23 ADDITIONAL INFORMATION

Not applicable

EGBN AD 2.24 CHARTS RELATED TO AN AERODROME

Figure: Aerodrome Chart – ICAO

EGBN AD 2.24 CHARTS RELATED TO AN AERODROME (continued)

AD 2-EGBN-2-1