

EGCL — FENLAND

EGCL AD 2.1 AERODROME LOCATION INDICATOR AND NAME

EGCL — FENLAND

EGCL AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	Lat: 524422N Long: 0000148W Mid point of Runway 18/36
2	Direction and distance from city	6 nm SE of Spalding.
3	Elevation / Reference temperature	6 ft / 19 C
4	Geoid undulation at AD ELEV PSN	151 FT
5	Magnetic Variation/ Annual Change	0.62°W (2017) / 0.15°
6	AD Administration, address, telephone, telefax, AFS, e-mail address, website address	FENLAND AERO CLUB (LICENSING) LTD. Post: Fenland Aerodrome, Jekylls Bank, Holbeach S t. Johns, Spalding, Lincolnshire, PE12 8RQ. Phone: 01406-540330 (Club House and ATC - Weekends only) Phone: 01406-540461 (Flying School) Fax: 01406-540461 (Flying School) Email: facsecretary@fenlandairfield.co.uk URL: www.fenlandairfield.co.uk
7	Type of Traffic permitted (IFR/VFR)	VFR
8	Remarks	

EGCL AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	Winter: Tue-Sun 0900-1700 or SS whichever is earlier; and by arrangement. Summer: Tue-Sun 0800-1600 and by arrangement.
2	Customs and Immigration	By arrangement.
3	Health and sanitation	
4	AIS Briefing Office	
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	
7	Air Traffic Service	As AD hours.
8	Fuelling	As AD hours.
9	Handling	
10	Security	
11	De-icing	
12	Remarks	Non Radio aircraft require PPR . Mondays , aerodrome not licensed, but self service AVGAS 100LL and AVGAS UL91 fuel available. Grass cutting could be taking place.

EGCL AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	
2	Fuel and oil types	Jet A1 AVGAS 100LL AVGAS UL91 W80, W100, S80, S100.
3	Fuelling facilities/capacity	
4	De-icing facilities	
5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	
7	Remarks	AVTUR Jet A1 available by prior arrangement only.

EGCL AD 2.5 PASSENGER FACILITIES

1	Hotels	
2	Restaurants	
3	Transportation	
4	Medical facilities	
5	Bank and Post Office	
6	Tourist Office	
7	Remarks	

EGCL AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	See Remarks
2	Rescue equipment	
3	Capability for removal of disabled aircraft	
4	Remarks	RFF Category Special.

EGCL AD 2.7 SEASONAL AVAILABILITY - CLEARING

EGCL AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	
2	Taxiway width, surface and strength	
3	Altimeter checkpoint location and elevation	
4	VOR checkpoints	
5	INS checkpoints	
6	Remarks	

EGCL AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	
2	Runway and taxiway markings and lighting	
3	Stop bars	
4	Remarks	

EGCL AD 2.10 AERODROME OBSTACLES

In Approach/Take-off areas						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
18/APPROACH 36/TAKE-OFF	Pylon	524523.76N 0000124.72W	103 ft		No	
18/APPROACH 36/TAKE-OFF	Vehicles on road	524433.43N 0000148.09W	24 ft		No	
26/APPROACH 08/TAKE-OFF	Vehicles on road	524413.62N 0000130.12W	24 ft		No	

EGCL AD 2.10 AERODROME OBSTACLES (continued)

In circling area and at aerodrome						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
	Mast	524456.00N 0000027.00E	166 ft		No	
	Hangar	524432.89N 0000143.11W	30 ft		Yes Red	
	Tower- Anem- ometer Mast	524430.96N 0000143.44W	36 ft		Yes Red	
	Shooting Tower	524338.13N 0000230.25W	97 ft		No	
	Water Tower	524251.09N 0000241.83W	95 ft		No	

EGCL AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	
2	Hours of service MET Office outside hours	
3	Office responsible for TAF preparation Periods of validity	
4	Trend forecast Interval of issuance	
5	Briefing/consultation provided	
6	Flight documentation Language(s) used	
7	Charts and other information available for briefing or consultation	
8	Supplementary equipment available for providing infor- mation	
9	ATS units provided with information	
10	Additional information (limitation of service, etc.)	

EGCL AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY Number	True bearing	Dimensions of RWY	Surface of RWY/ SWY/ Strength (PCN)	THR co-ordinates/ THR Geoid undu- lation	THR elevation/ Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
18	180.91°	600 x 30 m	RWY surface: Grass.	524428.91N 0000147.33W 151 ft	THR 6 ft
36	000.91°	600 x 30 m	RWY surface: Grass.	524412.07N 0000147.77W 151 ft	THR 6 ft

Slope of RWY/ SWY	SWY dimensions	Clearway dimensions	Strip Dimensions	OFZ	Remarks
7	8	9	10	11	12
					RWY 18 Runway 18 threshold displaced by 82 m.
					RWY 36 Due to intersection with unlicensed Run- way 08/26, Runway 36

EGCL AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS (continued)

Slope of RWY/ SWY	SWY dimensions	Clearway dimensions	Strip Dimensions	OFZ	Remarks
7	8	9	10	11	12
					edge/corner markings are absent at the threshold.

EGCL AD 2.13 DECLARED DISTANCES

Runway design- ator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
18	600 m	600 m	600 m	518 m	
36	600 m	600 m	600 m	600 m	

EGCL AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	Approach lighting Type/ Length/ Intensity	Threshold lighting Colour/ Wing bars	VASIS/ MEHT/ PAPI	TDZ lighting Length	Runway Centre Line lighting Length/ Spacing/ Colour/ Intensity	Runway edge lighting Length/ Spacing/ Colour/ Intensity	Runway end lighting Colour/ Wing bars	Stopway lighting Length/ Colour	Remarks
1	2	3	4	5	6	7	8	9	10
18		Green wingbars	Left/ 4.25°			Light intensity low.	Red.		

EGCL AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	
2	LDI location and lighting Anemometer location and lighting	
3	TWY edge and centre line lighting	
4	Secondary power supply/switch-over time	
5	Remarks	

EGCL AD 2.16 HELICOPTER LANDING AREA**INTENTIONALLY BLANK****EGCL AD 2.17 AIR TRAFFIC SERVICES AIRSPACE**

Designation and lateral limits	Vertical Limits	Airspace Class	ATS unit callsign/ language	Transition Altitude	Remarks
1	2	3	4	5	6
FENLAND ATZ A circle, 2 nm radius centred at 524422N 0000148W on longest notified runway (18/36)	Upper limit: 2000 ft Lower limit: SFC	G	FENLAND RADIO English		

EGCL AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Callsign	Channel(s)	Hours of Operation	Remarks
1	2	3	4	5
Other	FENLAND RADIO	122.925 MHz A/G frequency.	Winter: Tue-Fri 0900-SS Sum- mer: Tue-Fri 0900-1800	ATZ hours coincident with A/G hours.

EGCL AD 2.19 RADIO NAVIGATION AND LANDING AIDS**INTENTIONALLY BLANK****EGCL AD 2.20 LOCAL TRAFFIC REGULATIONS****1 Aerodrome Regulations**

- (a) Aerodrome not available for use by public transport passenger flights required to use a licensed aerodrome.
- (b) Runway 36 is not available at night for aircraft requiring the use of licensed runway for night flying.

2 Ground Movement

Not applicable

3 CAT II/III Operations

Not applicable

4 Warnings

- (a) **Caution:** The aerodrome is within the lateral limits of the East Anglian Military Temporary Reserved Airspace (EAMTRA).
- (b) All aircraft movements are confined to the marked grass strips and runway.
- (c) Model aircraft flying takes place in the southwest corner of the ATZ up to heights of 400 ft.

5 Helicopter Operations

- (a) Departing helicopters should air taxi to Hold 'A' before departing via the runway-in-use.

6 Use of Runways

- (a) Pilots are reminded of the displaced threshold on Runway 18 and the need to keep a safe height above the road in the latter stages of approach.
- (b) All aircraft landing on Runway 18 must vacate right and use the 18/36 western taxiway to backtrack for parking or fuel. All aircraft landing on Runway 08/26 must backtrack on the 18/36 western taxiway to parking and fuel.
- (c) All aircraft are to backtrack down the western side of Runway 18/36 when required.

7 Training

Not applicable

EGCL AD 2.21 NOISE ABATEMENT PROCEDURES

- (a) All traffic is to avoid overflying the village of Holbeach St Johns (1 nm east of the aerodrome) below 1500 ft QFE.

EGCL AD 2.22 FLIGHT PROCEDURES

- (a) Circuits directions: Runways 26 and 36 - LH; Runway 08 and 18 - RH. Circuit height: All Runways - 1000 ft QFE.

EGCL AD 2.23 ADDITIONAL INFORMATION

Not applicable

EGCL AD 2.24 CHARTS RELATED TO AN AERODROME

Figure: AERODROME CHART - ICAO

AD 2-EGCL-2-1