

**EGED — EDAY****EGED AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

EGED — EDAY

**EGED AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	Lat: 591126N Long: 0024620W Mid point of Runway 07/25
2	Direction and distance from city	On the Isle of Eday.
3	Elevation / Reference temperature	20 ft / 14 C
4	Geoid undulation at AD ELEV PSN	
5	Magnetic Variation/ Annual Change	2.7°W (2017) / 0.19°
6	AD Administration, address, telephone, telefax, AFS, e-mail address, website address	ORKNEY ISLAND COUNCIL. Post: Council Offices, Kirkwall, Orkney, KW15 1NY Phone: 01856-873535 Fax: 01856-876094 Email: developmentandinfrastructure@orkney.gov.uk
7	Type of Traffic permitted (IFR/VFR)	VFR
8	Remarks	

**EGED AD 2.3 OPERATIONAL HOURS**

1	Aerodrome Operator	Daylight hours only, subject to PPR.
2	Customs and Immigration	
3	Health and sanitation	
4	AIS Briefing Office	
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	
7	Air Traffic Service	
8	Fuelling	
9	Handling	
10	Security	
11	De-icing	
12	Remarks	This aerodrome is <b>PPR</b> 01856-873535, Ext 2305.

**EGED AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo handling facilities	
2	Fuel and oil types	
3	Fuelling facilities/capacity	
4	De-icing facilities	
5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	
7	Remarks	

**EGED AD 2.5 PASSENGER FACILITIES**

1	Hotels	
2	Restaurants	
3	Transportation	
4	Medical facilities	

## EGED AD 2.5 PASSENGER FACILITIES (continued)

5	Bank and Post Office	
6	Tourist Office	
7	Remarks	

## EGED AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	RFF Category A1
2	Rescue equipment	
3	Capability for removal of disabled aircraft	
4	Remarks	

## EGED AD 2.7 SEASONAL AVAILABILITY - CLEARING

## EGED AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	
2	Taxiway width, surface and strength	
3	Altimeter checkpoint location and elevation	
4	VOR checkpoints	
5	INS checkpoints	
6	Remarks	

## EGED AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	
2	Runway and taxiway markings and lighting	
3	Stop bars	
4	Remarks	

## EGED AD 2.10 AERODROME OBSTACLES

## EGED AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	
2	Hours of service MET Office outside hours	
3	Office responsible for TAF preparation Periods of validity	
4	Trend forecast Interval of issuance	
5	Briefing/consultation provided	
6	Flight documentation Language(s) used	
7	Charts and other information available for briefing or consultation	
8	Supplementary equipment available for providing information	
9	ATS units provided with information	

**EGED AD 2.11 METEOROLOGICAL INFORMATION PROVIDED (continued)**

10	Additional information (limitation of service, etc.)
----	--

**EGED AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designations RWY Number	True bearing	Dimensions of RWY	Surface of RWY/ SWY/ Strength (PCN)	THR co-ordinates/ THR Geoid undulation	THR elevation/ Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
07	064.37°	527 x 18 m	RWY surface: Graded Hardcore	591121.65N 0024635.62W	THR 10 ft
25	244.37°	527 x 18 m	RWY surface: Graded Hardcore	591129.02N 0024605.68W	THR 10 ft
Slope of RWY/ SWY	SWY dimensions	Clearway dimensions	Strip Dimensions	OFZ	Remarks
7	8	9	10	11	12
					RWY 07
					RWY 25

**EGED AD 2.13 DECLARED DISTANCES**

Runway designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
07	527 m	539 m	527 m	507 m	
25	527 m	536 m	527 m	487 m	

**EGED AD 2.14 APPROACH AND RUNWAY LIGHTING****INTENTIONALLY BLANK****EGED AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and hours of operation	
2	LDI location and lighting Anemometer location and lighting	
3	TWY edge and centre line lighting	
4	Secondary power supply/switch-over time	
5	Remarks	

**EGED AD 2.16 HELICOPTER LANDING AREA**

1	Coordinates TLOF or THR of FATO Geoid undulation	
2	TLOF and/ or FATO elevation	
3	TLOF and FATO area dimensions, surface, strength, marking	FATO :
4	True bearing of FATO	
5	Declared distance available	
6	Approach and FATO lighting	
7	Remarks	The helicopter landing 'H' is located at the mid point of the western end of the apron, 3 m in from the western edge.

## EGED AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

INTENTIONALLY BLANK

## EGED AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

INTENTIONALLY BLANK

## EGED AD 2.19 RADIO NAVIGATION AND LANDING AIDS

## EGED AD 2.20 LOCAL TRAFFIC REGULATIONS

### 1 Airport Regulations

Not applicable

### 2 Ground Movement

Not applicable

### 3 CAT II/III Operations

Not applicable

### 4 Warnings

- ← (a) Visiting pilots should note that during periods of prolonged rainfall the grass can become very soft especially during the winter months.
- (b) Runway 07/25: Graded hardcore runway is generally unsuitable for light aircraft with low ground/propeller clearance due to unstabilised surface and as a result it would be advisable to carry out any power checks on the tarmac apron before departure.

### 5 Helicopter Operations

Not applicable

### 6 Use of Runways

Not applicable

### 7 Training

Not applicable

## EGED AD 2.21 NOISE ABATEMENT PROCEDURES

Not applicable

## EGED AD 2.22 FLIGHT PROCEDURES

- (a) RTF. Contact with Kirkwall Approach is recommended.

## EGED AD 2.23 ADDITIONAL INFORMATION

Not applicable

## EGED AD 2.24 CHARTS RELATED TO AN AERODROME

Figure: AERODROME CHART - ICAO

AD 2-EGED-2-1