

## EGFE — HAVERFORDWEST

### EGFE AD 2.1 AERODROME LOCATION INDICATOR AND NAME

EGFE — HAVERFORDWEST

### EGFE AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	Lat: 514959N Long: 0045740W Mid-point of Runway 03/21.
2	Direction and distance from city	2 nm N of Haverfordwest.
3	Elevation / Reference temperature	159 ft / 18 C
4	Geoid undulation at AD ELEV PSN	178 FT
5	Magnetic Variation/ Annual Change	2.32°W (2017) / 0.16°
6	AD Administration, address, telephone, telefax, AFS, e-mail address, website address	PEMBROKESHIRE COUNTY COUNCIL. Post: Haverfordwest Aerodrome, Fishguard Road, Haverfordwest, Pembrokeshire, SA62 4BN. Phone: 01437-764551 (Operator) Phone: PPR 01437-765283 (Aerodrome) Fax: 01437-769246 (ATC) Fax: 01437-768319
7	Type of Traffic permitted (IFR/VFR)	VFR
8	Remarks	

### EGFE AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	Winter: Mon-Fri 0915-1630 (except PH) and by arrangement. Summer: Mon-Fri 0815-1530 (except PH) and by arrangement.
2	Customs and Immigration	By arrangement
3	Health and sanitation	
4	AIS Briefing Office	
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	
7	Air Traffic Service	As AD hours. See also AD 2.18.
8	Fuelling	As AD hours and by arrangement.
9	Handling	
10	Security	
11	De-icing	
12	Remarks	This aerodrome is <b>PPR</b> .

### EGFE AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	
2	Fuel and oil types	AVTUR JET A-1 AVGAS 100LL W80, W100.
3	Fuelling facilities/capacity	
4	De-icing facilities	
5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	
7	Remarks	

### EGFE AD 2.5 PASSENGER FACILITIES

1	Hotels	
---	--------	--

## EGFE AD 2.5 PASSENGER FACILITIES (continued)

2	Restaurants	
3	Transportation	
4	Medical facilities	
5	Bank and Post Office	
6	Tourist Office	
7	Remarks	

## EGFE AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	RFF Category A1
2	Rescue equipment	
3	Capability for removal of disabled aircraft	
4	Remarks	RFF Category 1 Mon-Fri. <b>Category 2</b> available on request.

## EGFE AD 2.7 SEASONAL AVAILABILITY - CLEARING

## EGFE AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	APRON Surface: Asphalt.
2	Taxiway width, surface and strength	Taxiway MAIN TAXIWAY: Surface: Asphalt.
3	Altimeter checkpoint location and elevation	
4	VOR checkpoints	
5	INS checkpoints	
6	Remarks	

## EGFE AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	
2	Runway and taxiway markings and lighting	
3	Stop bars	
4	Remarks	

## EGFE AD 2.10 AERODROME OBSTACLES

In Approach/Take-off areas						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
03/APPROACH 21/TAKE-OFF	Tree	514931.87N 0045803.03W	197 ft		No	
21/APPROACH 03/TAKE-OFF	Vehicles on Road	515020.73N 0045718.11W	163 ft		No	
09/APPROACH 27/TAKE-OFF	Pole	515006.85N 0045646.53W	213 ft		No	
09/APPROACH 27/TAKE-OFF	Tree	515006.76N 0045710.71W	182 ft		No	
09/APPROACH 27/TAKE-OFF	Tree	515003.08N 0045658.36W	195 ft		No	

## EGFE AD 2.10 AERODROME OBSTACLES (continued)

In Approach/Take-off areas						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
09/APPROACH 27/TAKE-OFF	Vehicles on Road	515001.54N 0045817.91W	184 ft		No	

In circling area and at aerodrome						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
HAVERFORDWEST EGFE1133	Mast	515357.22N 0045159.16W	1138 ft	522 ft		

## EGFE AD 2.11 METEOROLOGICAL INFORMATION PROVIDED


1	Associated MET Office	
2	Hours of service MET Office outside hours	
3	Office responsible for TAF preparation Periods of validity	
4	Trend forecast Interval of issuance	
5	Briefing/consultation provided	
6	Flight documentation Language(s) used	
7	Charts and other information available for briefing or consultation	
8	Supplementary equipment available for providing information	
9	ATS units provided with information	
10	Additional information (limitation of service, etc.)	

## EGFE AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY Number	True bearing	Dimensions of RWY	Surface of RWY/ SWY/ Strength (PCN)	THR co-ordinates/ THR Geoid undulation	THR elevation/ Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
03	029.70°	1524 x 45 m	RWY surface: Asphalt. PCN 41/F/C/W/T	514944.81N 0045752.95W 178 ft	THR 141 ft
21	209.71°	1524 x 45 m	RWY surface: Asphalt. PCN 41/F/C/W/T	515014.10N 0045725.99W 178 ft	THR 147 ft
09	087.51°	1095 x 45 m	RWY surface: Asphalt. PCN 7.5/F/C/W/T	515003.06N 0045802.41W 178 ft	THR 148 ft
27	267.52°	1095 x 45 m	RWY surface: Asphalt. PCN 7.5/F/C/W/T	515003.89N 0045731.27W 178 ft	THR 138 ft

Slope of RWY/ SWY	SWY dimensions	Clearway dimensions	Strip Dimensions	OFZ	Remarks
7	8	9	10	11	12
					RWY 03 Runway 03 landing threshold displaced by 227 m.



## EGFE AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS (continued)

Slope of RWY/ SWY	SWY dimensions	Clearway dimensions	Strip Dimensions	OFZ	Remarks
7	8	9	10	11	12
					RWY 21 Runway 21 landing threshold displaced by 255 m.
					RWY 09 Runway 09 landing threshold displaced by 235 m
					RWY 27 Runway 27 landing threshold displaced by 265 m.

## EGFE AD 2.13 DECLARED DISTANCES

Runway design- ator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
03	1199 m	1199 m	1199 m	1202 m	
21	1199 m	1199 m	1199 m	1269 m	
09	830 m	830 m	1035 m	800 m	
27	800 m	800 m	1005 m	800 m	

## EGFE AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	Approach lighting Type/ Length/ Intensity	Threshold lighting Colour/ Wing bars	VASIS/ MEHT/ PAPI	TDZ lighting Length	Runway Centre Line lighting Length/ Spacing/ Colour/ Intensity	Runway edge lighting Length/ Spacing/ Colour/ Intensity	Runway end lighting Colour/ Wing bars	Stopway lighting Length/ Colour	Remarks
1	2	3	4	5	6	7	8	9	10
03		LI	APAPI Left/3.5° 15 ft			LI omni-direc- tional			
21		LI	APAPI Left/3.5° 15 ft			LI omni-direc- tional			

## EGFE AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	IBN: HAVERFORDWEST Flashing Green 'HW' Light intensity:
2	LDI location and lighting Anemometer location and lighting	
3	TWY edge and centre line lighting	
4	Secondary power supply/switch-over time	
5	Remarks	

## EGFE AD 2.16 HELICOPTER LANDING AREA

INTENTIONALLY BLANK

## EGFE AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Designation and lateral limits	Vertical Limits	Airspace Class	ATS unit callsign/ language	Transition Altitude	Remarks
1	2	3	4	5	6
HAVERFORDWEST ATZ A circle, 2 nm radius centred at 514959N 0045740W	Upper limit: 2000 ft Lower limit: SFC	G	HAVERFORDWEST RADIO English		

## EGFE AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Callsign	Channel(s)	Hours of Operation	Remarks
1	2	3	4	5
Other	HAVERFORDWEST RADIO	122.200 MHz A/G frequency. DOC 25 nm/5,000 ft.	Winter: Mon-Fri 0915-1630 ex- cept PH and by arrangement Summer: Mon-Fri 0815-1530 except PH and by arrangement	ATZ hours coincident with Ap- proach hours, but not by ar- rangement.

## EGFE AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of Aid CAT of ILS/MLS (For VOR/ILS/MLS, give VAR)	Ident	Frequency	Hours of Operation	Position of transmitting antenna co- ordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NDB	HAV	328.000 kHz	Winter: Mon-Fri 0915-1630 except PH, and by arrange- ment Summer: Mon-Fri 0815-1530 except PH, and by arrangement	514954.76N 0045805.12W		On AD. Range 10 nm. Normally radiates H24.
DME	HDW	114Y 116.750 MHz	Winter: Mon-Fri 0915-1630 except PH, and by arrange- ment Summer: Mon-Fri 0815-1530 except PH, and by arrangement	514955.22N 0045812.42W	201 ft	On AD. Range 10 nm.

## EGFE AD 2.20 LOCAL TRAFFIC REGULATIONS

**1 Airport Regulations**

Not applicable.

**2 Ground Movement**

Not applicable.

**3 CAT II/III Operations**

Not applicable.

**4 Warnings**

- (a) Microlight flying takes place on the aerodrome.
- (b) The intersection of Runways 03/21 and 09/27 is liable to flooding during and after heavy rain.
- (c) Hills rising to 259 ft amsl within 2 nm to the east, rising to 276 ft amsl within 1.5 nm to the northeast. and rising to 583 ft amsl within 3.5 nm to the northwest.

**5 Helicopter Operations**

Not applicable.

## EGFE AD 2.20 LOCAL TRAFFIC REGULATIONS (continued)

### 6 Use of Runways

- (a) Runways 03 and 21 are visual runways but have non-precision runway markings.

### 7 Training

Not applicable.

## EGFE AD 2.21 NOISE ABATEMENT PROCEDURES

- (a) Avoid local riding stables and residences north of Runway 09/27 and maintain circuit position on downwind leg.

## EGFE AD 2.22 FLIGHT PROCEDURES

### 1 Circuits

- (a) Circuit height 1000 ft QFE.
- (b) Flex-wing microlight aircraft to operate in the right hand circuit. Other traffic to use left hand circuit.
- (c) No overhead joins when right hand circuit is active.

## EGFE AD 2.23 ADDITIONAL INFORMATION

Not applicable.

## EGFE AD 2.24 CHARTS RELATED TO AN AERODROME

*Figure: Aerodrome Chart – ICAO*

AD 2-EGFE-2-1