

## EGHA — COMPTON ABBAS

### EGHA AD 2.1 AERODROME LOCATION INDICATOR AND NAME

EGHA — COMPTON ABBAS

### EGHA AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

|   |  |   |
|---|--|---|
| 1 | ARP coordinates and site at AD   | Lat: 505802N Long: 0020913W<br>Mid-point of Runway 08/26.   |
| 2 | Direction and distance from city   | 2.7 nm S of Shaftesbury.  |
| 3 | Elevation / Reference temperature  | 811 ft / 18 C   |
| 4 | Geoid undulation at AD ELEV PSN  | 158 FT  |
| 5 | Magnetic Variation/ Annual Change  | 1.17°W (2017) / 0.15°   |
| 6 | AD Administration, address, telephone, telefax, AFS, e-mail address, website address | COMPTON ABBAS AIRFIELD LTD.<br>Post: Compton Abbas Aerodrome, Ashmore, Salisbury, Wiltshire, SP5 5AP.<br>Phone: 01747-811767<br>Email: fly@abbasair.com |
| 7 | Type of Traffic permitted (IFR/VFR)  | VFR   |
| 8 | Remarks  |   |

### EGHA AD 2.3 OPERATIONAL HOURS

|    |                            |  |
|----|----------------------------|--|
| 1  | Aerodrome Operator         | Winter: 0900-1700. Summer: 0800-1600.                    |
| 2  | Customs and Immigration    | By arrangement   |
| 3  | Health and sanitation      |  |
| 4  | AIS Briefing Office        |  |
| 5  | ATS Reporting Office (ARO) |  |
| 6  | MET Briefing Office        |  |
| 7  | Air Traffic Service        | As AD hours. See also AD 2.18.                           |
| 8  | Fuelling                   | As AD hours.   |
| 9  | Handling                   |  |
| 10 | Security                   | H24  |
| 11 | De-icing                   |  |
| 12 | Remarks                    | PPR www.comptonabbasairfield.co.uk or Tel: 01747-811767. |

### EGHA AD 2.4 HANDLING SERVICES AND FACILITIES

|   |   |   |
|---|---|---|
| 1 | Cargo handling facilities               |   |
| 2 | Fuel and oil types                      | AVGAS 100LL<br>AVGAS UL91<br>W80, W100, 80, 100, 15W50, Oil Sport Plus 4. |
| 3 | Fuelling facilities/capacity            |   |
| 4 | De-icing facilities                     |   |
| 5 | Hangar space for visiting aircraft      | Limited and by arrangement.   |
| 6 | Repair facilities for visiting aircraft | Bluewing Engineering.   |
| 7 | Remarks                                 |   |

## EGHA AD 2.5 PASSENGER FACILITIES

|   |                      |                          |
|---|----------------------|--------------------------|
| 1 | Hotels               | In vicinity.             |
| 2 | Restaurants          | Restaurant bar and Cafe. |
| 3 | Transportation       | Taxis.                   |
| 4 | Medical facilities   | Basic first aid on site. |
| 5 | Bank and Post Office | In vicinity.             |
| 6 | Tourist Office       | In vicinity.             |
| 7 | Remarks              |                          |

## EGHA AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

|   |   |                       |
|---|---|-----------------------|
| 1 | AD category for fire fighting               | See Remarks           |
| 2 | Rescue equipment                            |                       |
| 3 | Capability for removal of disabled aircraft |                       |
| 4 | Remarks                                     | RFF Category Special. |

## EGHA AD 2.7 SEASONAL AVAILABILITY - CLEARING

## EGHA AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

|   |   |  |
|---|---|--|
| 1 | Apron surface and strength                  |  |
| 2 | Taxiway width, surface and strength         |  |
| 3 | Altimeter checkpoint location and elevation |  |
| 4 | VOR checkpoints                             |  |
| 5 | INS checkpoints                             |  |
| 6 | Remarks                                     |  |

## EGHA AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

|   |   |  |
|---|---|--|
| 1 | Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands |  |
| 2 | Runway and taxiway markings and lighting  | <b>Runway marking aid(s):</b><br>08/26: Chalk side markers. Runway remaining indicators every 200 m. Black and white runway threshold marker boards. |
| 3 | Stop bars   |  |
| 4 | Remarks   | Runway 08/26 QDM markers are sited before the actual runway thresholds.  |

## EGHA AD 2.10 AERODROME OBSTACLES

| In Approach/Take-off areas |               |                           |                  |  |                                  |         |
|----------------------------|---------------|---------------------------|------------------|--|----------------------------------|---------|
| Obstacle ID/Designation    | Obstacle Type | Obstacle Position         | Elevation/Height |  | Obstruction Lighting Type/Colour | Remarks |
| 1                          | 2             | 3                         | 4                |  | 5                                | 6       |
| 26/APPROACH 08/TAKE-OFF    | Trees         | 505806.21N<br>0020838.56W | 876 ft           |  | No                               |         |
| 08/APPROACH 26/TAKE-OFF    | Trees         | 505757.04N<br>0020941.85W | 830 ft           |  | No                               |         |

| In circling area and at aerodrome |               |                           |                  |  |                                  |         |
|-----------------------------------|---------------|---------------------------|------------------|--|----------------------------------|---------|
| Obstacle ID/Designation           | Obstacle Type | Obstacle Position         | Elevation/Height |  | Obstruction Lighting Type/Colour | Remarks |
| 1                                 | 2             | 3                         | 4                |  | 5                                | 6       |
|                                   | Beacon        | 505757.77N<br>0020918.58W | 851 ft           |  | No                               |         |
|                                   | Trees         | 505755.65N<br>0020932.62W | 882 ft           |  | No                               |         |

## EGHA AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

|    |   |  |
|----|---|--|
| 1  | Associated MET Office   |  |
| 2  | Hours of service<br>MET Office outside hours                        |  |
| 3  | Office responsible for TAF preparation<br>Periods of validity       |  |
| 4  | Trend forecast<br>Interval of issuance                              |  |
| 5  | Briefing/consultation provided                                      |  |
| 6  | Flight documentation<br>Language(s) used                            |  |
| 7  | Charts and other information available for briefing or consultation |  |
| 8  | Supplementary equipment available for providing information         |  |
| 9  | ATS units provided with information                                 |  |
| 10 | Additional information (limitation of service, etc.)                |  |

## EGHA AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations RWY Number | True bearing | Dimensions of RWY | Surface of RWY/<br>SWY/<br>Strength (PCN) | THR co-ordinates/<br>THR Geoid undulation | THR elevation/<br>Highest elevation of<br>TDZ of precision APP<br>RWY |
|-------------------------|--------------|-------------------|---|---|---|
| 1                       | 2            | 3                 | 4   | 5   | 6   |
| 08                      | 077.16°      | 803 x 30 m        | RWY surface: Grass.                       | 505759.37N<br>0020933.15W<br>158 ft       | THR 797 ft  |
| 26                      | 257.16°      | 803 x 30 m        | RWY surface: Grass.                       | 505805.12N<br>0020853.20W<br>158 ft       | THR 811 ft  |

| Slope of RWY/<br>SWY | SWY dimensions | Clearway dimensions | Strip Dimensions | OFZ | Remarks |
|----------------------|----------------|---------------------|------------------|-----|---------|
| 7                    | 8              | 9                   | 10               | 11  | 12      |
|                      |                |                     |                  |     | RWY 08  |
|                      |                |                     |                  |     | RWY 26  |

## EGHA AD 2.13 DECLARED DISTANCES

| Runway designator | TORA  | TODA  | ASDA  | LDA   | Remarks |
|-------------------|-------|-------|-------|-------|---------|
| 1                 | 2     | 3     | 4     | 5     | 6       |
| 08                | 799 m | 799 m | 799 m | 803 m |         |
| 26                | 799 m | 799 m | 799 m | 803 m |         |

## EGHA AD 2.14 APPROACH AND RUNWAY LIGHTING

### INTENTIONALLY BLANK

## EGHA AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

|   |   |  |
|---|---|--|
| 1 | ABN/IBN location, characteristics and hours of operation      |  |
| 2 | LDI location and lighting<br>Anemometer location and lighting |  |
| 3 | TWY edge and centre line lighting                             |  |
| 4 | Secondary power supply/switch-over time                       |  |
| 5 | Remarks   |  |

## EGHA AD 2.16 HELICOPTER LANDING AREA

### INTENTIONALLY BLANK

## EGHA AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

| Designation and lateral limits  | Vertical Limits                          | Airspace Class | ATS unit callsign/ language | Transition Altitude | Remarks |
|---|--|----------------|-----------------------------|---------------------|---------|
| 1   | 2  | 3              | 4                           | 5                   | 6       |
| COMPTON ABBAS ATZ<br>A circle, 2 nm radius centred at 505802N 0020913W on longest notified runway (08/26) | Upper limit: 2000 ft<br>Lower limit: SFC | G              | COMPTON RADIO<br>English    |                     |         |

## EGHA AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

| Service Designation | Callsign      | Channel(s)                   | Hours of Operation                    | Remarks                              |
|---------------------|---------------|------------------------------|---------------------------------------|--------------------------------------|
| 1                   | 2             | 3                            | 4                                     | 5                                    |
| Other               | COMPTON RADIO | 122.700 MHz<br>A/G Frequency | Winter: 0900-1700. Summer: 0800-1600. | ATZ hours coincident with A/G hours. |

## EGHA AD 2.19 RADIO NAVIGATION AND LANDING AIDS

## EGHA AD 2.20 LOCAL TRAFFIC REGULATIONS

### 1 Airport Regulations

- (a) No domestic pets or animals allowed airside or on patio area.

### 2 Ground Movement

- (a) Due to prop-wash do not park aircraft facing north in front of the buildings.

**EGHA AD 2.20 LOCAL TRAFFIC REGULATIONS (continued)**

- (b) Please respect grass surfaces, particularly in wet conditions. If landing long please consider another approach in order to avoid excessive braking which can cause the grass surface to be badly damaged.

**3 CAT II/III Operations**

Not applicable

**4 Warnings**

- (a) The ground to the north of the runway has a steep slope gradient.
- (b) Trees along the southern aerodrome boundary will cause turbulence on the approach to Runway 08 and 26 when the wind has a southerly component.
- (c) Multiple trees penetrate the Approach and Take-Off Surfaces by as much as 23 ft. Multiple trees penetrate the Transitional Surface to south west of the runway by as much as 31 ft.
- (d) Beacon with strobe in Southern Transition Surface penetrates surface by 9 ft.
- (e) Check for any aerobatic or formation activity taking place within the ATZ.

**5 Helicopter Operations**

Not applicable

**6 Use of Runways**

- (a) Aircraft to clear left after landing on Runway 26 and right after landing on Runway 08.
- (b) The Runway 08/26 QDM markers are located before the start of the runway.
- (c) 100 m unlicensed extension each end of runway.

**7 Training**

Not applicable

**EGHA AD 2.21 NOISE ABATEMENT PROCEDURES**

- (a) Departure. Noise abatement procedures must be obtained before take-off.

**EGHA AD 2.22 FLIGHT PROCEDURES**

- (a) Circuit directions: Runway 26 - RH; Runway 08 - LH.

**EGHA AD 2.23 ADDITIONAL INFORMATION**

Not applicable

**EGHA AD 2.24 CHARTS RELATED TO AN AERODROME**

Figure: AERODROME CHART - ICAO

AD 2-EGHA-2-1



**INTENTIONALLY BLANK**