

EGNW — WICKENBY**EGNW AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

EGNW — WICKENBY

EGNW AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	Lat: 531901N Long: 0002056W Mid point of Runway 03/21
2	Direction and distance from city	8 nm NE of Lincoln.
3	Elevation / Reference temperature	84 ft / 18 C
4	Geoid undulation at AD ELEV PSN	
5	Magnetic Variation/ Annual Change	0.8°W (2017) / 0.15°
6	AD Administration, address, telephone, telefax, AFS, e-mail address, website address	WICKENBY AERODROME LLP. Post: The Old Control Tower, Wickenby Airfield, Langworth, Lincolnshire, LN3 5AX. Phone: 01673-885000 Phone: 07435-753383 (Aerodrome Mobile) Email: info@wickenbyairfield.com
7	Type of Traffic permitted (IFR/VFR)	VFR
8	Remarks	

EGNW AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	Winter: 0900-SS and by arrangement. Summer: 0900-1715 and by arrangement.
2	Customs and Immigration	
3	Health and sanitation	
4	AIS Briefing Office	
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	
7	Air Traffic Service	As AD hours. See also AD 2.18.
8	Fuelling	As AD hours and by prior arrangement.
9	Handling	
10	Security	
11	De-icing	
12	Remarks	

EGNW AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	
2	Fuel and oil types	AVGAS 100LL AVTUR JET A-1
3	Fuelling facilities/capacity	Self Service Fuel Facility for AVGAS 100LL. Payment can be made by Credit/Debit Card.
4	De-icing facilities	
5	Hangar space for visiting aircraft	By prior arrangement.
6	Repair facilities for visiting aircraft	One Sky Aviators Ltd, 01673-885083.
7	Remarks	

EGNW AD 2.5 PASSENGER FACILITIES

1	Hotels	
2	Restaurants	Aerodrome Cafe open 1000-1600 daily.

EGNW AD 2.5 PASSENGER FACILITIES (continued)

3	Transportation	
4	Medical facilities	
5	Bank and Post Office	
6	Tourist Office	
7	Remarks	

EGNW AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	See Remarks
2	Rescue equipment	
3	Capability for removal of disabled aircraft	
4	Remarks	RFF Category Special.

EGNW AD 2.7 SEASONAL AVAILABILITY - CLEARING

EGNW AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	APRON Surface: Concrete and asphalt.
2	Taxiway width, surface and strength	
3	Altimeter checkpoint location and elevation	
4	VOR checkpoints	
5	INS checkpoints	
6	Remarks	

EGNW AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	
2	Runway and taxiway markings and lighting	
3	Stop bars	
4	Remarks	

EGNW AD 2.10 AERODROME OBSTACLES

In Approach/Take-off areas						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
03/APPROACH 21/TAKE-OFF	Vehicles on Road	531849.17N 0002104.98W	100 ft		No	
33/APPROACH 15/TAKE-OFF	Vehicles on Road	531850.21N 0002049.41W	101 ft		No	

In circling area and at aerodrome						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
	High Ground	532001N 0001406W	197 ft		No	

EGNW AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	
2	Hours of service MET Office outside hours	
3	Office responsible for TAF preparation Periods of validity	
4	Trend forecast Interval of issuance	
5	Briefing/consultation provided	
6	Flight documentation Language(s) used	
7	Charts and other information available for briefing or consultation	
8	Supplementary equipment available for providing information	
9	ATS units provided with information	
10	Additional information (limitation of service, etc.)	

EGNW AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY Number	True bearing	Dimensions of RWY	Surface of RWY/ SWY/ Strength (PCN)	THR co-ordinates/ THR Geoid undulation	THR elevation/ Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
03	025.25°	530 x 18 m	RWY surface: Asphalt.	531853.24N 0002101.76W 153 ft	THR 83 ft
21	205.25°	530 x 18 m	RWY surface: Asphalt.	531908.69N 0002049.59W 153 ft	THR 75 ft
15	150.23°	497 x 18 m	RWY surface: Asphalt.	531909.07N 0002107.44W 153 ft	THR 71 ft
33	330.23°	497 x 18 m	RWY surface: Asphalt.	531855.19N 0002054.18W 153 ft	THR 79 ft

Slope of RWY/ SWY	SWY dimensions	Clearway dimensions	Strip Dimensions	OFZ	Remarks
7	8	9	10	11	12
					RWY 03
					RWY 21
					RWY 15
					RWY 33

EGNW AD 2.13 DECLARED DISTANCES

Runway designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
03	530 m	530 m	530 m	530 m	
21	530 m	530 m	530 m	530 m	
15	497 m	497 m	497 m	497 m	
33	497 m	497 m	497 m	497 m	

EGNW AD 2.14 APPROACH AND RUNWAY LIGHTING

INTENTIONALLY BLANK

EGNW AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	
2	LDI location and lighting Anemometer location and lighting	
3	TWY edge and centre line lighting	
4	Secondary power supply/switch-over time	
5	Remarks	

EGNW AD 2.16 HELICOPTER LANDING AREA

INTENTIONALLY BLANK

EGNW AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Designation and lateral limits	Vertical Limits	Airspace Class	ATS unit callsign/ language	Transition Altitude	Remarks
1	2	3	4	5	6
WICKENBY ATZ A circle, 2 nm radius centred at 531901N 0002056W on longest notified runway (03/21)	Upper limit: 2000 ft Lower limit: SFC	G	WICKENBY RADIO English		

EGNW AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Callsign	Channel(s)	Hours of Operation	Remarks
1	2	3	4	5
Other	WICKENBY RADIO	122.450 MHz A/G Frequency	Winter: 0900-SS and by arrangement. Summer: 0900-SS and by arrangement.	ATZ hours coincident with A/G hours, but not by arrangement

EGNW AD 2.19 RADIO NAVIGATION AND LANDING AIDS

INTENTIONALLY BLANK

EGNW AD 2.20 LOCAL TRAFFIC REGULATIONS

1 Airport Regulations

Not applicable

2 Ground Movement

Not applicable

3 CAT II/III Operations

Not applicable

4 Warnings

(a) The aerodrome is divided by a public road and only the runways to the North of the road can be used.

5 Helicopter Operations

Not applicable

6 Use of Runways

Not applicable

EGNW AD 2.20 LOCAL TRAFFIC REGULATIONS (continued)**7 Training**

Not applicable

EGNW AD 2.21 NOISE ABATEMENT PROCEDURES

Not applicable

EGNW AD 2.22 FLIGHT PROCEDURES**1 Inbound Aircraft**

(a) Inbound aircraft are requested to contact RAF Waddington.

2 Local Flying Area

(a) Flight within the ATZ above 1500 ft aal is also subject to clearance from Waddington ATC.

3 Circuits

(a) Circuit directions: All Runways - LH. Circuit height 1000 ft QFE. Microlight circuit 700 ft QFE inside GA circuit.

**EGNW AD 2.23 ADDITIONAL INFORMATION**

Not applicable

EGNW AD 2.24 CHARTS RELATED TO AN AERODROME*Figure: AERODROME CHART – ICAO*

AD 2-EGNW-2-1



INTENTIONALLY BLANK