

EGPT — PERTH/SCONE

EGPT AD 2.1 AERODROME LOCATION INDICATOR AND NAME

EGPT — PERTH/SCONE

EGPT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	Lat: 562628.05N Long: 0032226.06W centre of the longest runway 03/21
2	Direction and distance from city	3 nm NE of Perth.
3	Elevation / Reference temperature	397 ft / 16 C
4	Geoid undulation at AD ELEV PSN	172 FT
5	Magnetic Variation/ Annual Change	2.47°W (2017) / 0.17°
6	AD Administration, address, telephone, telefax, AFS, e-mail address, website address	ACS AVIATION LTD. Post: Perth Aerodrome, Perth, Scotland, PH2 6NP. Phone: 01738-551631 Fax: 01738-554846
7	Type of Traffic permitted (IFR/VFR)	VFR
8	Remarks	

EGPT AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	Winter: 0900 - 1700 and by arrangement. Summer: 0800 - 1600 and by arrangement.
2	Customs and Immigration	By arrangement.
3	Health and sanitation	
4	AIS Briefing Office	
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	
7	Air Traffic Service	As AD hours. See also AD 2.18.
8	Fuelling	As AD hours.
9	Handling	
10	Security	
11	De-icing	
12	Remarks	This aerodrome is PPR . Preferred method online at: www.perthairport.eu By arrangement, aerodrome hours may be extended.

EGPT AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	
2	Fuel and oil types	AVTUR JET A-1 AVGAS 100LL W80, W100.
3	Fuelling facilities/capacity	
4	De-icing facilities	
5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	
7	Remarks	

EGPT AD 2.5 PASSENGER FACILITIES

1	Hotels	On aerodrome.
2	Restaurants	Restaurant and Cafe on aerodrome.

EGPT AD 2.5 PASSENGER FACILITIES (continued)

3	Transportation	Buses, taxis and car hire.
4	Medical facilities	
5	Bank and Post Office	
6	Tourist Office	
7	Remarks	

EGPT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	RFF Category A1
2	Rescue equipment	
3	Capability for removal of disabled aircraft	
4	Remarks	

EGPT AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Type of clearing equipment	Limited snow clearing.
2	Clearance priorities	
3	Remarks	

EGPT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	MAIN APRON Surface: Asphalt.
2	Taxiway width, surface and strength	Taxiway B: Surface: Asphalt. Taxiway C: Surface: Asphalt.
3	Altimeter checkpoint location and elevation	Main Apron 385 FT
4	VOR checkpoints	
5	INS checkpoints	
6	Remarks	

EGPT AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	
2	Runway and taxiway markings and lighting	
3	Stop bars	
4	Remarks	

EGPT AD 2.10 AERODROME OBSTACLES

In Approach/Take-off areas						
Obstacle ID/Designation	Obstacle Type	Obstacle Position	Elevation/Height		Obstruction Lighting Type/Colour	Remarks
1	2	3	4		5	6
09/APPROACH 27/TAKE-OFF	Tree	562616.95N 0032255.42W	470 ft		No	
33/APPROACH 15/TAKE-OFF	Tree	562608.10N 0032152.48W	427 ft		No	

INTENTIONALLY BLANK

EGPT AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	
2	Hours of service MET Office outside hours	
3	Office responsible for TAF preparation Periods of validity	
4	Trend forecast Interval of issuance	
5	Briefing/consultation provided	
6	Flight documentation Language(s) used	
7	Charts and other information available for briefing or consultation	
8	Supplementary equipment available for providing information	
9	ATS units provided with information	
10	Additional information (limitation of service, etc.)	

EGPT AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY Number	True bearing	Dimensions of RWY	Surface of RWY/ SWY/ Strength (PCN)	THR co-ordinates/ THR Geoid undulation	THR elevation/ Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
03	028.34°	853 x 27 m	RWY surface: Asphalt.	562615.91N 0032237.88W 172 ft	THR 390 ft
21	208.34°	853 x 27 m	RWY surface: Asphalt.	562640.19N 0032214.24W 172 ft	THR 386 ft
09	088.29°	609 x 22 m	RWY surface: Asphalt.	562615.46N 0032228.78W 172 ft	THR 392 ft
27	268.29°	609 x 22 m	RWY surface: Asphalt.	562615.91N 0032201.60W 172 ft	THR 388 ft
15	149.48°	620 x 36 m	RWY surface: Grass.	562632.47N 0032215.16W 172 ft	THR 394 ft
33	329.49°	620 x 36 m	RWY surface: Grass.	562615.13N 0032156.71W 172 ft	THR 386 ft

Slope of RWY/ SWY	SWY dimensions	Clearway dimensions	Strip Dimensions	OFZ	Remarks
7	8	9	10	11	12
					RWY 03
					RWY 21
					RWY 09 Runway 09 threshold displaced by 143 m.
					RWY 27
					RWY 15
					RWY 33

EGPT AD 2.13 DECLARED DISTANCES

Runway designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
03	853 m	853 m	853 m	853 m	
21	853 m	853 m	853 m	853 m	
09	609 m	609 m	609 m	466 m	
27	466 m	609 m	609 m	609 m	
15	620 m	620 m	620 m	620 m	
33	620 m	620 m	620 m	620 m	

EGPT AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	Approach lighting Type/Length/Intensity	Threshold lighting Colour/Wing bars	VASIS/MEHT/PAPI	TDZ lighting Length	Runway Centre Line lighting Length/Spacing/Colour/Intensity	Runway edge lighting Length/Spacing/Colour/Intensity	Runway end lighting Colour/Wing bars	Stopway lighting Length/Colour	Remarks
1	2	3	4	5	6	7	8	9	10
03		LI Green	PAPI Left/3° 18 ft			LI	Red.		
21		LI Green	PAPI Left/3° 18 ft			LI	Red.		
09						LI			
27						LI			

EGPT AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	
2	LDI location and lighting Anemometer location and lighting	
3	TWY edge and centre line lighting	Taxiway: . Centre line. Link B green centre-line.
4	Secondary power supply/switch-over time	
5	Remarks	

EGPT AD 2.16 HELICOPTER LANDING AREA

INTENTIONALLY BLANK

EGPT AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Designation and lateral limits	Vertical Limits	Airspace Class	ATS unit callsign/language	Transition Altitude	Remarks
1	2	3	4	5	6
← PERTH/SCONE ATZ A circle, 2 nm radius centred at 562628N 0032226W on longest notified runway (03/21)	Upper limit: 2000 ft Lower limit: SFC	G	PERTH RADIO English	3000 ft	The Dundee Category C instrument approach penetrates the Perth ATZ (when active) at 1800 ft agl.

EGPT AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Callsign	Channel(s)	Hours of Operation	Remarks
1	2	3	4	5
Other	PERTH RADIO	119.800 MHz A/G frequency.	Winter 0900 - 1700 Summer 0800 - 1600	ATZ hours coincident with A/G hours.

EGPT AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of Aid CAT of ILS/MLS (For VOR/ILS/MLS, give VAR)	Ident	Frequency	Hours of Operation	Position of transmitting antenna co- ordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
VOR 2.47°W (2017)	PTH	110.400 MHz	H24	562632.63N 0032206.96W		

EGPT AD 2.20 LOCAL TRAFFIC REGULATIONS**1 Airport Regulations**

- (a) This aerodrome is not available to aircraft unable to communicate by radio.

2 Ground Movement

Not applicable.

3 CAT II/III Operations

Not applicable.

4 Warnings

- (a) When taking-off from Runway 27 there may be severe downdraughts and turbulence in the vicinity of the line of trees that form an obstacle across the runway centre-line at 910 m beyond the start of TORA.
- (b) When landing on Runway 03 with the wind from the northwest quadrant, turbulence can be expected from the tree line during the final phase of approach.
- (c) Hills running NE - SW, rising to 918 ft amsl within 2 nm and to 1236 ft amsl within 5 nm to NE.

5 Helicopter Operations

Not applicable.

6 Use of Runways

Not applicable.

7 Training

Not applicable.

EGPT AD 2.21 NOISE ABATEMENT PROCEDURES

Not applicable.

EGPT AD 2.22 FLIGHT PROCEDURES**1 Circuits**

- (a) Circuit directions: Runways 03, 09 and 15 - LH; Runways 21, 27 and 33 - RH.

EGPT AD 2.23 ADDITIONAL INFORMATION

Not applicable.

EGPT AD 2.24 CHARTS RELATED TO AN AERODROME

Figure: Aerodrome Chart - ICAO

AD 2-EGPT-2-1