

EGSM — BECCLES**EGSM AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

EGSM — BECCLES

EGSM AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	Lat: 522607N Long: 0013706E Mid point of Runway 09/27
2	Direction and distance from city	2 nm SE of Beccles.
3	Elevation / Reference temperature	80 ft / 19 C
4	Geoid undulation at AD ELEV PSN	
5	Magnetic Variation/ Annual Change	0°E (2017) / 0.15°
6	AD Administration, address, telephone, telefax, AFS, e-mail address, website address	RAIN AIR. Post: Beccles Airfield, Beccles, Suffolk, NR34 7TE. Phone: 07767-827172 Phone: 01502-476400 Fax: 01502-476400
7	Type of Traffic permitted (IFR/VFR)	VFR
8	Remarks	

EGSM AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	Winter: 0900-SS. Summer: 0900-1800.
2	Customs and Immigration	
3	Health and sanitation	
4	AIS Briefing Office	
5	ATS Reporting Office (ARO)	
6	MET Briefing Office	
7	Air Traffic Service	As AD hours. See also AD 2.18.
8	Fuelling	As AD hours.
9	Handling	
10	Security	
11	De-icing	
12	Remarks	This aerodrome is PPR .

EGSM AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	
2	Fuel and oil types	AVGAS 100LL. AVOIL S80, W80.
3	Fuelling facilities/capacity	Fixed pump, 6000 lt.
4	De-icing facilities	
5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	
7	Remarks	

EGSM AD 2.5 PASSENGER FACILITIES

1	Hotels	
2	Restaurants	
3	Transportation	

EGSM AD 2.5 PASSENGER FACILITIES (continued)

4	Medical facilities	
5	Bank and Post Office	
6	Tourist Office	
7	Remarks	

EGSM AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	See Remarks
2	Rescue equipment	Tractor available
3	Capability for removal of disabled aircraft	
4	Remarks	RFF Category Special.

EGSM AD 2.7 SEASONAL AVAILABILITY - CLEARING

EGSM AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	
2	Taxiway width, surface and strength	
3	Altimeter checkpoint location and elevation	
4	VOR checkpoints	
5	INS checkpoints	
6	Remarks	

EGSM AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	
2	Runway and taxiway markings and lighting	
3	Stop bars	
4	Remarks	

EGSM AD 2.10 AERODROME OBSTACLES

INTENTIONALLY BLANK
INTENTIONALLY BLANK

EGSM AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	
2	Hours of service MET Office outside hours	
3	Office responsible for TAF preparation Periods of validity	
4	Trend forecast Interval of issuance	
5	Briefing/consultation provided	
6	Flight documentation Language(s) used	

EGSM AD 2.11 METEOROLOGICAL INFORMATION PROVIDED (continued)

7	Charts and other information available for briefing or consultation	
8	Supplementary equipment available for providing information	
9	ATS units provided with information	
10	Additional information (limitation of service, etc.)	

EGSM AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY Number	True bearing	Dimensions of RWY	Surface of RWY/ SWY/ Strength (PCN)	THR co-ordinates/ THR Geoid undulation	THR elevation/ Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
09	091.90°	696 x 18 m	RWY surface: Concrete and grass.	522607.68N 0013649.86E	THR 80 ft
27	271.90°	696 x 18 m	RWY surface: Concrete and grass.	522607.15N 0013716.62E	THR 80 ft

Slope of RWY/ SWY	SWY dimensions	Clearway dimensions	Strip Dimensions	OFZ	Remarks
7	8	9	10	11	12
					RWY 09 Threshold displaced by 40 m.
					RWY 27 Threshold displaced by 128 m.

EGSM AD 2.13 DECLARED DISTANCES

Runway designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
09	568 m	568 m	568 m	624 m	
27	656 m	656 m	656 m	568 m	

EGSM AD 2.14 APPROACH AND RUNWAY LIGHTING

INTENTIONALLY BLANK

EGSM AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	
2	LDI location and lighting Anemometer location and lighting	
3	TWY edge and centre line lighting	
4	Secondary power supply/switch-over time	
5	Remarks	

EGSM AD 2.16 HELICOPTER LANDING AREA

INTENTIONALLY BLANK

EGSM AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

Designation and lateral limits	Vertical Limits	Airspace Class	ATS unit callsign/ language	Transition Altitude	Remarks
1	2	3	4	5	6
BECCLES ATZ A circle, 2 nm radius centred at 522607N 0013706E on longest notified runway (09/27)	Upper limit: 2000 ft Lower limit: SFC	G	BECCLES RADIO English		

EGSM AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Callsign	Channel(s)	Hours of Operation	Remarks
1	2	3	4	5
Other	BECCLES RADIO	120.375 MHz A/G frequency.	Winter: 0900-SS Summer: 0900-1800	ATZ hours coincident with A/G hours.

EGSM AD 2.19 RADIO NAVIGATION AND LANDING AIDS

INTENTIONALLY BLANK

EGSM AD 2.20 LOCAL TRAFFIC REGULATIONS

1 Airport Regulations

(a) Please note approaching Runway 09, useable runway consists of the last third of the old wartime runway, plus 250 m of grass.

2 Ground Movement

Not applicable.

3 CAT II/III Operations

Not applicable.

4 Warnings

- (a) Declared runway width is less than the total width of the paved surface.
- (b) Windshear may be experienced on final approach to Runway 27 during south westerly winds.
- (c) Free-fall parachuting takes place up to FL 130 during daylight hours.

5 Helicopter Operations

Not applicable.

6 Use of Runways

Not applicable.

7 Training

Not applicable.

EGSM AD 2.21 NOISE ABATEMENT PROCEDURES

Avoid overflying all the local villages.

EGSM AD 2.22 FLIGHT PROCEDURES

- (a) Helicopters to conform to circuit pattern.
- (b) All circuits to the south to avoid overflying Beccles.

Circuit directions: Runway 09 - RH; Runway 27 - LH. Circuit height: 1000 ft.

EGSM AD 2.23 ADDITIONAL INFORMATION

Not applicable.

EGSM AD 2.24 CHARTS RELATED TO AN AERODROME

Figure: AERODROME CHART - ICAO

AD 2-EGSM-2-1



INTENTIONALLY BLANK