

ENVR AD 3.1 Helikopterhavn indikator og navn Heliport location indicator and name

ENVR - VÆRØY

ENVR AD 3.2 Helikopterhavn geografiske og administrative data Heliport geographical and administrative data

NORSK/ENGLISH3		
1	Heliport REF point COORD and site at heliport	673916N 0124337E, 15 FT, geometric centre TLOF
2	Retning og distanse fra by / Direction and distance from city	1 NM S
3	ELEV/REF TEMP	15 FT / 13.9 °C
4	Geoid undulation at Heliport ELEV PSN	128 FT
5	MAG VAR/Annual Change	4.1°E (2015) / 0.21°E
6	Heliport Administrasjon/Administration Adresse/Address Telefon/Telephone Fax AFS/AFTN	Avinor Værøy Helikopterplass 8063 Værøy (+47) 67 03 38 70 (+47) 76 09 54 40 NIL
7	Type trafikk tillatt (IFR/VFR) / Types of traffic permitted (IFR/VFR)	VFR dag og natt / VFR day and night
8	RMK	REF ENVR AD 3.19, Local traffic regulations D-value: 21.0 M

ENVR AD 3.3 Åpningstider Operational hours

NORSK/ENGLISH		
1	Heliport Administrasjon / Administration	MON-FRI 0630-1100/1330-1700, SAT 0630-1100, SUN 1330-1700
2	Toll og innreisekontroll / Customs and immigration	NIL
3	Helse og karantene / Health and sanitation	NIL
4	AIS briefing office	Sentralt AIS på / Central AIS at ENGM TEL (+47) 64 81 90 00, E-post / E-mail: ais@avinor.no
5	ATS reporting office (ARO)	NIL
6	MET briefing office	O/R MWO Tromsø TEL (+47) 77 62 13 00
7	Air traffic services (ATS)	FIS Bodø ATCC
8	Tanking / Fuelling	NIL
9	Handling	O/R
10	Security	O/R
11	De-icing	NIL
12	RMK	Værøy Radio FREQ 118.025 MHZ, manned during Heliport administration hours of operation.

ENVR AD 3.4 Handlingtjeneste og utstyr Handling services and facilities

NORSK/ENGLISH		
1	Utstyr for godsbehandling / Cargo handling facilities	NIL
2	Typer brennstoff/olje / Fuel/oil types	PF: NIL TF: NIL
3	Tanking utstyr/kapasitet / Fuelling facilities/capacity	PF: NIL TF: NIL
4	Avisingsutstyr / De-icing facilities	NIL
5	Hangarplass for besøkende ACFT / Hangar space available for visiting ACFT	NIL
6	Reparasjonsmuligheter for besøkende ACFT / Repair facilities for visiting ACFT	NIL
7	RMK	NIL

ENVR AD 3.5 Passasjer fasiliteter Passenger facilities

NORSK/ENGLISH		
1	Hotell / Hotels	På tettstedet / In village
2	Restauranter / Restaurants	På tettstedet / In village
3	Transportmuligheter / Transportation	Taxi
4	Legehjel / Medical facilities	På tettstedet / In village
5	Bank / Post	På tettstedet / In village
6	Turistkontor / Tourist Office	På tettstedet MAY-AUG / In village MAY-AUG
7	RMK	NIL

ENVR AD 3.6 Brann- og redningstjeneste Rescue and fire fighting services

NORSK/ENGLISH		
1	Heliport kategori for brann- og redningstjeneste / Heliport category for rescue and fire fighting	CAT H2
2	Redningsutstyr / Rescue EQPT	REF: AD 1.2.
3	Fjerning av havareerte helikopter / Capability for removal of disabled helicopter	NIL
4	RMK	AD MAINT and Rescue and Fire Fighting SER: MON-FRI 0645-1045/1345-1645, SAT 0645-1045, SUN 1345-1645

ENVR AD 3.7 Sesongmessig anvendelse - rydding Seasonal availability - clearing

NORSK/ENGLISH		
1	Type utstyr / Types of clearing EQPT	Snøryddingsutstyr / Snow removal EQPT
2	Brøyteprioritet / Clearance priorities	FATO/TLOF, access to fire station, TWY, apron.
3	RMK	Hele året / All seasons

ENVR AD 3.8 Oppstillingsplattformer, taksebaner og kontrollpunkter Aprons, taxiways and check locations data

NORSK/ENGLISH		
1	Oppstillingsplattformens/helikopterplass overflate og styrke / Apron/helicopter stand surface and strength	Stand 1, ASPH, PCN- 20/F/A/Y/U D-value: 17.0 M
2	Bakke TWY bredde, overflate og betegnelse / Ground TWY width, surface and designation	TWY A, B: 10,5 M, ASPH, PCN- 20/F/A/Y/U
3	Luft TWY bredde og betegnelse / Air TWY width and designation	NIL
4	ACL, beliggenhet og ELEV / ACL, location and ELEV	Geometric centre TLOF, 673916.38N 0124337.35E, 15 FT
5	INS kontrollpunkt, beliggenhet og ELEV / INS Checkpoint, location and ELEV	REF: ACL
6	RMK	NIL

ENVR AD 3.9 Kjennermerke og markeringer Markings and markers

NORSK/ENGLISH		
1	Final APCH and TKOF markings	FATO/TLOF: FATO edge, Heliport ID, TLOF edge
2	TWY, air TWY, air transit route markers	TWY: CL, TWY edge
3	RMK	NIL

ENVR AD 3.10 Heliport hinder Heliport obstacles

I område 2 / In area 2					
OBST ID	OBST type/ OBST type	OBST posisjon/ OBST position	ELEV	Merking, type, farge/ Markings, type, colour	RMK
a	b	c	d	e	f
NIL					
I område 3 / In area 3					
OBST ID	OBST type/ OBST type	OBST posisjon/ OBST position	ELEV	Merking, type, farge/ Markings, type, colour	RMK
a	b	c	d	e	f
ENVROB3001	Wall	-	2 FT	NIL	Retaining wall, height 0,6 M, along the NE edge of FATO safety area

ENVR AD 3.11 Tilgjengelig meteorologisk informasjon Meteorological information provided

NORSK/ENGLISH		
1	Ansvarlig enhet / Responsible unit	MWO Tromsø TEL (+47) 77 62 13 00
2	Tjenestetider / Hours of service	H24
3	Ansvarlig for utarbeidelse av TAF/Gyldighetsperiode / Office responsible for TAF preparation/Periods of validity	TAF not AVBL
4	Landingsvarsler / Type of landing forecast	NIL
5	Briefing	MWO Tromsø, REF ENVR AD 3.3
6	Dokumentasjon, språk som benyttes / Flight documentation, language(s) used	Kart, klart språk, tabularisk, norsk/engelsk / Charts, plain language, tabular form, Norwegian/English
7	Karter / Charts and other INFO AVBL	NIL
8	Tilleggsutstyr / Supplementary EQPT AVBL for INFO	NIL
9	ATS-enhet med INFO / ATS units provided with INFO	NIL
10	Tilleggsopplysninger / Additional INFO	NIL

ENVR AD 3.12 Heliport data Heliport data

ENGLISH		
1	Heliport type	Surface level
2	TLOF DMN	17,5 M diameter
3	FATO, GEO and MAG bearings	03/034,46° GEO 21/214,46° GEO
4	FATO DMN and SFC type	31,5 M x 56,2 M ASPH
5	TLOF, SFC and bearing strength	ASPH, PCN-20/F/A/Y/U
6	COORD of geometric centre TLOF, GUND	673916.38N 0124337.35E, 128 FT
7	FATO, ELEV and slope	15 FT, slope 2%
8	Safety area DMN	42 M x 67 M
9	HEL CWY DMN	NIL
10	OBST free sector	N/A
11	RMK	NIL

ENVR AD 3.13 Kunngjorte lengder Declared distances

FATO	TODAH (M)	RTODAH (M)	LDAH (M)	RMK
1	2	3	4	5
03	56	56	56	NIL
21	56	56	56	NIL

ENVR AD 3.14 Innflygings- og FATO lys Approach and FATO lighting

ENGLISH		
1	APCH LGT system type, LEN, INTST	NIL
2	VASIS/PAPI (MEHT)	NIL
3	FATO LGT characteristics and location	Edge, 4 on each side, White, LIM
4	Aiming point LGT characteristics and location	NIL
5	TLOF LGT system characteristics and location	Edge, 12 in circle, Green, LIM
6	RMK	NIL

ENVR AD 3.15 Annen belysning, sekundærstrømkilde Other lighting, secondary power supply

ENGLISH		
1	Heliport beacon location, characteristics and HR of OPER	Repeating 4 flashes, MON-FRI 0815-0915 and 1500-1600, SAT 0815-0915, SUN 1500-1600
2	WDI location and LGT	BTN FATO and terminal, LGTD
3	TWY edge and CL LGT	Edge: Yes CL: NIL
4	Secondary PWR supply	Automatic switch-over time 10 SEC
5	RMK	NIL

ENVR AD 3.16 ATS luftrom ATS airspace

NORSK/ENGLISH		
1	Navn og utstrekning / Designation and lateral limits	Værøy TIZ 674150N 0123850E - 674520N 0125000E - 674540N 0131816E - 673435N 0131903E - 673415N 0125102E - 673545N 0123850E - (674150N 0123850)
2	Vertikal utstrekning / Vertical limits	GND to 3500 FT AMSL
3	Luftromsklasse / Airspace classification	G
4	Lufttrafikktenesteenhet / ATS unit	Bodø FIS
5	Gjennomgangshøyde / Transition altitude	7000 FT
6	RMK	Two-way radio communication required within HR of operation for the ATS unit, REF ENR 1.4

ENVR AD 3.17 ATS kommunikasjons hjelpemidler ATS communication facilities

Service	Call Sign	FREQ	HR	PSN	RMK
1	2	3	4	5	6
FIS	Norway Control	126.450 MHZ	H24		

ENVR AD 3.18 Radionavigasjons- og innflygingshjelpemidler Radio navigation and landing aids

NIL

ENVR AD 3.19 Lokalt reglement for helikopterhavn

ENVR AD 3.19 Local heliport regulations

NORSK		ENGLISH	
1	Heliport tilgjengelighet	1	Heliport availability
1.1	Heliport godkjent for: - VFR OPR dag og natt, Anm. : AD er ikke godkjent for IFR-operasjoner.	1.1	Heliport approved for: - VFR OPR in day and night, Note: AD is not approved for IFR operations.
1.2	Heliport stengt utenfor tjenestetid til Plass-, Brann- og redningstjeneste.	1.2	Heliport closed outside HR of SER AD MAINT and Rescue and Fire Fighting SER.
1.3	PPR påkrevet for TFC som ikke er rutetrafikk.	1.3	PPR for non-SCHED TFC.
ENVR AD 3.20	Støyforebyggende regler	ENVR AD 3.20	Noise abatement procedures
NORSK		ENGLISH	
NIL		NIL	

ENVR AD 3.21 Operative bestemmelser**ENVR AD 3.21 Flight Procedures**

NORSK

ENGLISH

NIL

NIL

ENVR AD 3.22 Annet**ENVR AD 3.22 Additional Information**

NORSK

ENGLISH

1 Avvik fra ICAO Annex 14 SARPS**1 Differences from ICAO Annex 14 SARPS**

1.1 FATO kantlys 2,4 M utenfor FATO-kant, og 35 cm høye.

1.1 FATO edge LGT 2,4 M outside FATO edge, and 35 cm high.

ENVR AD 3.23 Tilhørende kart**Charts related to the heliport**

<i>Chart Name</i>	<i>Side/Page</i>
Heliport Chart	AD 3 ENVR 2 - 1
RNAV (GNSS) 027°	AD 3 ENVR 5 - 1
RNAV (GNSS) 200°	AD 3 ENVR 5 - 3
RNAV (GNSS) 267°	AD 3 ENVR 5 - 5
Visual Approach Chart - ICAO	AD 3 ENVR 6 - 1

Area chart - Bodø/Lofoten TMA	ENR 6.3 - 15
-------------------------------	--------------

Liste over RNAV- og SIG-punkter brukt i SID/STAR/IAP finnes under ENR 4.4.2 /
RNAV and SIG points used in SID/STAR/IAP are listed under ENR 4.4.2

THIS PAGE INTENTIONALLY LEFT BLANK